### Chugach Electric Association, Inc. UNDERGROUNDING PLAN



### 2024-2028

#### **TABLE OF CONTENTS**

I.	INTRODUCTION	1
II.	PROJECT IDENTIFICATION	1
III.	PROJECT SELECTION	1
IV.	LIST OF PROJECTS	2
	2024-2028 Undergrounding Projects Spreadsheet	3
APF	ENDIX A	4
	2024-2028 Underground Project Summary Sheets	
	Alyeska Subdivision	1
	Arctic to Aurora	2
	Huffman Road - Lake Otis to Old Seward - 4/0 ACSRA-	3
	Dimond Blvd Jewel Lake to Roy	4
	Aero Acres	5
	Gambell St 3 <sup>rd</sup> Ave. to 15 <sup>th</sup> Ave	6
	Glacier St. & 22 <sup>nd</sup> Ave	7
	Turnagain Park Subdivision	8
	Blueberry Rd	9
	Debarr Sub to Anchorage Sub	0
	W. 9 <sup>th</sup> & P St	1
	Girdwood Entry Sub	2
	Spenard Road Rehabilitation/Relocation	3
	Green Valley	4
	Frontierland Park - 10 <sup>th</sup> & E StA-1	5
	E 84 <sup>th</sup> - Lake Otis to Elmore	6
	Logan St 17 <sup>th</sup> Ave. to 20 <sup>th</sup> Ave	7
	Roosevelt Park	8
	Lake Otis Parkway	9
	24 <sup>th</sup> Ave. & Glacier St	0
	Needle Circle	1
	Wisconsin Street	2
	Wickersham Park	3
	Westpark Subdivision	4

Elmore and Tudor - 4/0 ACSR	
7 <sup>th</sup> /8 <sup>th</sup> Alley - Gambell to Ingra St.	

#### I. **INTRODUCTION**

On March 1, 2005, the Anchorage Assembly adopted certain revisions to Section 21.07.050, Utility Distribution Facilities, of the Anchorage Municipal Code. These revisions require an electric utility to "include as part of its annual capital improvement plan, a five-year undergrounding program" (21.07.050F1). In each of the years of this program the electric utility shall plan on expending "at least two percent of a three-year average of its annual gross retail revenues derived from utility service connections within the municipality" (21.07.050G1a). In accordance with this requirement, Chugach Electric Association (Chugach) targets approximately \$6.6 million annually to underground existing overhead facilities. Over-expenditures or under expenditures may be carried over as an adjustment to the following year's obligation.

When developing the five-year undergrounding program, the electric utility can choose which existing lines to underground. Specifically, priorities of the program "shall be based on undergrounding in conjunction with the electric utility's essential system improvements and then by target area" (21.07.050F1).

This document contains Chugach's anticipated five-year undergrounding plan, comprising of all projects regarding the undergrounding of non-conforming overhead lines between the years 2024 to 2028. The inclusion of a project within this plan does not guarantee that the project will be constructed in the designated year. Every effort is made to complete the projects according to the schedule in Part IV, but circumstances may cause a project to be completed earlier or later than planned.

The projects were chosen to best serve Chugach's overall system needs and with consideration of the designated target areas.

#### II. **PROJECT IDENTIFICATION**

To reduce the financial impact of the ordinance on utility ratepayers and to equitably apply the 2% undergrounding surcharge, Chugach identifies projects with the greatest potential to improve system safety, reliability, and resiliency. Projects are identified by analysis of system outage data, results of routine inspection, load growth projections, community input, and construction efficiencies gained by partnering with other utilities or agencies.

Overhead transmission lines operated at 69,000 volts or greater are cost-prohibitive to build and maintain underground and are never considered for conversion as part of this program. Additionally, lines are exempted from consideration that would be overly costly to build or maintain due to soil condition, slope, terrain, or the presence of waterways.

#### III. **PROJECT SELECTION**

Chugach's undergrounding projects are intended to implement one or a combination of five main objectives. These objectives are listed in order of priority; however, the priority

of a project can change depending on the specific project and how it relates to maintaining the integrity of the Chugach system.

- 1. **Safety:** These projects will improve the safety of our system by retiring overhead facilities where clearances or strength requirements are less than mandated by the National Electric Safety Code (NESC). Lines over residential houses or buildings, although not necessarily a code violation, pose a potential safety concern and will attempt to be relocated underground as part of this plan.
- 2. **Non-reimbursable Portions of Relocation Projects:** State and Municipal road projects often include the relocation of existing utility facilities at the expense of the road project. Under this category, Chugach will fund any betterment completed by the utility in conjunction with the relocation work and additional small system improvements adjacent to the scope of the road project and most efficiently constructed at the same time.
- 3. Load Growth Improvements: Existing overhead facilities are sometimes insufficient to handle the additional load of a large commercial or residential development. Instead of reconductoring an existing pole line with larger conductor, these projects will install larger underground conductor and retire the overhead facilities.
- 4. **Reliability:** As part of Chugach's core mission to provide reliable electrical service we routinely analyze system performance metrics to ensure reliability remains at an acceptable standard. Some areas have higher numbers of wind related or tree related outages. These areas may benefit by retiring overhead systems and replacing them with underground facilities and may require additional circuit construction in accordance with our looping requirements.
- 5. **Target Areas:** Existing overhead facilities located in target areas as defined in *"Designation of Target Areas"* (21.07.050F) emphasize locations that would benefit significant numbers of people or the general public good. Some of the areas specifically listed include central business district areas, major traffic corridors, parks and recreational areas, and school and university areas.

#### IV. LIST OF PROJECTS

The following table lists the undergrounding projects anticipated to be constructed in the following five years. Project summary sheets describing the scope and boundary of each project are included in Appendix A.

#### 2024 - 2028 Overhead to Underground Projects Chugach Electric Association, Inc.

Project Description	Page Number	Grid	Work Order	Cost Estimate	2024	2025	2026	202	27	2028
Alyeska Subdivision	A-1	4816	E1913914	\$ 250,000	\$ 250,000	\$ -	\$ -	\$	-	\$ -
Arctic to Aurora	A-2	1430, 1530	P1900123	\$ 300,000	\$ 300,000	\$ -	\$ -	\$	-	\$ -
Huffman Road - Lake Otis to Old Seward - 4/0 ACSR	A-3	2832, 2833	E1813852 E2020060	\$ 3,100,000	\$ 2,200,000	\$ 900,000	\$ -	\$	-	\$ -
Dimond Blvd Jewel Lake to Roy	A-4	2425, 2426, 2427	E2314212	\$ 2,500,000	\$ 2,500,000	\$ -	\$ -	\$	-	\$ _
Aero Acres	A-5	1726	E2314213	\$ 800,000	\$ 800,000	\$ -	\$ -	\$	-	\$ -
Gambell St 3rd Ave. to 15th Ave.	A-6	1231, 1331, 1431	P1900043	\$ 2,100,000	\$ 2,100,000	\$ -	\$ -	\$	-	\$ -
Glacier St. & 22nd Ave.	A-7	1537	E2114038	\$ 2,000,000	\$ -	\$ 2,000,000	\$ -	\$	-	\$ _
Turnagain Park Subdivision	A-8	1526, 1527	TBD	\$ 2,950,000	\$ -	\$ 700,000	\$ 750,000	\$	750,000	\$ 750,000
Blueberry Rd.	A-9	1529, 1530	E2314214	\$ 500,000	\$ -	\$ 500,000	\$ -	\$	-	\$ -
Debarr Sub to Anchorage Sub	A-10	1335-1339 1435, 1535, 1536	E2314215 E1720054	\$ 10,500,000	\$ -	\$ 5,500,000	\$ 5,000,000	\$	-	\$ -
W. 9th & P St.	A-11	1328	TBD	\$ 1,150,000	\$ -	\$ 50,000	\$ 200,000	\$	900,000	\$ -
Girdwood Entry Sub	A-12	5012	E1913879	\$ 80,000	\$ -	\$ -	\$ 80,000	\$	_	\$ -
Spenard Road Rehabilitation/Relocation	A-13	1629, 1728, 1729	E2214178	\$ 2,000,000	\$ -	\$ -	\$ 2,000,000	\$	-	\$ -
Green Valley	A-14	1726, 1727	TBD	\$ 250,000	\$ -	\$ -	\$ 250,000	\$	_	\$ -
Frontierland Park - 10th & E St.	A-15	1231, 1232	TBD	\$ 350,000	\$ -	\$ -	\$ 350,000	\$	-	\$ -
E 84th - Lake Otis to Elmore	A-16	2334, 2335, 2336	TBD	\$ 2,000,000	\$ -	\$ -	\$ 2,000,000	\$	-	\$ -
Logan St 17th Ave. to 20th Ave.	A-17	1434	TBD	\$ 2,150,000	\$ -	\$ -	\$ 50,000	\$	2,100,000	\$ _
Roosevelt Park	A-18	1728	E2114040	\$ 1,800,000	\$ -	\$ -	\$ 600,000	\$	1,200,000	\$ -
Lake Otis Parkway	A-19	1834, 1934	TBD	\$ 2,000,000	\$ -	\$ -	\$ -	\$	2,000,000	\$ -
24th Ave. & Glacier St.	A-20	1537	TBD	\$ 2,600,000	\$ -	\$ -	\$ -	\$	600,000	\$ 2,000,000
Needle Circle	A-21	1732, 1733	TBD	\$ 600,000	\$ -	\$ -	\$ -	\$	100,000	\$ 500,000
Wisconsin Street	A-22	1626, 1726	TBD	\$ 2,500,000	\$ -	\$ -	\$ -	\$	-	\$ 2,500,000
Wickersham Park	A-23	1833, 1834	TBD	\$ 750,000	\$ -	\$ -	\$ -	\$	-	\$ 750,000
Westpark Subdivision	A-24	2031, 2032	TBD	\$ 500,000	\$ -	\$ -	\$ -	\$	-	\$ 500,000
Elmore and Tudor - 4/0 ACSR	A-25	1835, 1836	TBD	\$ 500,000	\$ -	\$ -	\$ -	\$	_	\$ 500,000
7th/8th Alley - Gambell St. to Ingra St.	A-26	1331, 1332	E2114039	\$ 350,000	\$ -	\$ -	\$ -	\$	-	\$ 350,000
				\$ 44,580,000	\$ 8,150,000	\$ 9,650,000	\$ 11,280,000	\$	7,650,000	\$ 7,850,000

#### Appendix A

2024 - 2028 Underground Project Summary Sheets

#### **TITLE 21 PROJECT** ALYESKA SUBDIVISION Alyeska at Arlberg

#### **PROJECT NUMBER: E1913914**

PROJECT COST: \$250,000



#### **PROJECT DESCRIPTION:**


This project will retire older overhead lines in the Alyeska Subdivision in Girdwood. This project will provide increased system capacity and reliability for residents in the area.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.


#### LEGEND

- Primary Overhead Conductor H-Primary Underground Conductor Project Area



VICINITY MAP





Coordinate System: Alaska State Plane Zone 4, NAD83

Arctic to Aurora

North Star Community Council: Thompson Subdivision

**PROJECT NUMBER: P1900123** 

**PROJECT COST: \$300,000** 



This project will underground power lines in the neighborhood east of Arctic Blvd., south of 21th Avenue, north of 22nd Avenue and west of Aurora Drive. Currently there are access issues as the lines are located in backyards. This project has been requested by the neighborhood and is the top priority underground project in the North Star Community Council.

## od and is the top

POWERING ALASKA'S FUTURE



VICINITY MAP

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: Alaska State Plane Zone 4, NAD83

#### TITLE 21 PROJECT HUFFMAN ROAD

Huffman Road - Lake Otis to Old Seward (HNSS 312 TO KLSS 812)

PROJECT NUMBER: E1813852 & E2020060 PROJECT COST: \$3,100,000

#### **PROJECT DESCRIPTION:**

This project will replace 0.8 miles of 4/0 ACSR 3-phase overhead with 750 kcmil underground on the Hane 312 to Klatt 812 tie (Grids 2832 and 2833). This upgrade will improve the system capacity for existing and new load growth in addition to improving reliability. The summer peak loading is near the capacity limit of the 4/0 ACSR circuit under n-1 contingency conditions.

#### NOTES:

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area





VICINITY MAP

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: Alaska State Plane Zone 4, NAD83

#### TITLE 21 PROJECT DIMOND BOULEVARD Jewel Lake Road to Roy Street

#### **PROJECT NUMBER: E2314212**

#### PROJECT COST: \$2,500,000

Ν

1:400.000

VICINITY

MAP

#### **PROJECT DESCRIPTION:**

This project will underground approx. 3/4 mile of 4/0 ACSR 3-phase overhead feeder on Campbell Lake Substation feeder 212. This project will provide improved feeder capacity along W. Dimond Blvd. and contingency support to Raspberry Substation 712 & Jewel Lake Substation 142 feeders.


#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



A-4

Coordinate System: NAD83, State Plane, Alaska Zone 4, FIPS 5004 Feet



#### TITLE 21 PROJECT AERO ACRES ROSELANDS SUBDIVISION

#### **PROJECT NUMBER: E2314213**

#### PROJECT COST: \$800,000

#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.5 miles of OH single-phase residential conductor due to age-related strength issues identified on a large number of poles within the subdivision.


#### **NOTES:**


This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

- Primary Overhead Conductor
- Herimary Underground Conductor
- Project Area







VICINITY MAP

#### **TITLE 21 PROJECT** Gambell Street: 3rd Avenue to 15th Avenue

Downtown Community Council: Anchorage Townsite East Addition Subdivision

Ν

**PROJECT COST: \$2.100.000** 

#### **PROJECT NUMBER: P1900043**



ŝ

ά

to 15th

Ave



#### VICINITY MAP

#### **PROJECT DESCRIPTION:**

This project will underground overhead powerlines along Gambell Street from 3rd Avenue to the south side of 15th Avenue. This line has multiple system voltages on it. This project is planned to be in conjunction with an Alaska DOT project that will also be upgrading the street lighting. This project will not be occurring without participation of Alaska DOT. Gambell Street is described as a Target Area outlined in the Title 21 Underground Ordinance.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please contact Brad Jackson at 762-4458.

#### LEGEND

---- Primary Overhead Conductor

Primary Underground Conductor

Project Area



Glacier Street & 22nd Avenue Russian Jack Community Council

PROJECT NUMBER: E2114038

**PROJECT COST: \$2,000,000** 

Ν

1:400.000

#### **PROJECT DESCRIPTION:**

This project will remove overhead electric lines west of Boniface Parkway and north of E. 24th Avenue. The new underground lines will connect primary loops for increased realiability. This area has seen a very high number of outages, especially due to high winds and squirrels. Restoring outages has been difficult due to accessibility issues. This project is in the Target Area described in the Title 21 Underground Ordinance because undergrounding these overhead lines will eliminate the power outage risk associated with high winds. The MOA Planning Department issued a "Three Second Gust Wind Zones" map. This project is inside the highest wind speed in ML&P territory, 120 MPH.


#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: Alaska State Plane Zone 4, NAD83



VICINITY MAP

#### TITLE 21 PROJECT TURNAGAIN PARK SUBDIVISION

**PROJECT NUMBER: TBD** 

**PROJECT COST: \$2,950,000** 



#### **PROJECT DESCRIPTION:**

This project will underground approximately 1/2 mile of #4 ACSR 3-phase and #2 ACSR 1-phase overhead line on Turnagain Substation feeder 142. This project will be a multi-year phased undergrounding effort building a backbone underground circuit in the first year, with smaller undergrounding and loop closure projects in subsequent years.

#### NOTES:

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

VICINITY MAP





Coordinate System: NAD83, State Plane, Alaska Zone 4, FIPS 5004 Feet

**Blueberry Road** 

**Midtown Community Council** 

#### **PROJECT NUMBER: E2314214**

PROJECT COST: \$500,000



#### **PROJECT DESCRIPTION:**

This project will underground overhead powerlines along Blueberry Road between Fireweed Lane and Northern Lights Boulevard. This project is in the Target Area described in the Title 21 Underground Ordinance because it will remove overhead lines that are adjacent to Steller Secondary School.

#### NOTES:

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please

contact Brad Jackson at 762-4458.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area



VICINITY MAP



#### **TITLE 21 PROJECT** 35kV: Debarr Sub to Anchorage Sub

PROJECT NUMBER: E1720054 & E2314215 PROJECT COST: \$10,500,000

#### **PROJECT DESCRIPTION:**

The section of Chugach's 34.5 kV loop in east Anchorage that runs from Anchorage Substation to Debarr Substation was constructed in the 1950s and has reached the end of its useful life. During a 2016 inspection, significant pole rot was discovered in this section. To maintain a high level of reliability, this section of line will be replaced with a new underground circuit. This project would retire the existing overhead circuit that goes from Anchorage Substation north along Bragaw to East 6th Avenue and a new underground circuit would be installed in new and existing easements.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor Primary Underground Conductor #-34.5 kV Transmission Overhead Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.







t Path

J:\GIS\Custom

rear Plan\2024-

Ν

W. 9th Avenue & P Street

South Addition Community Council: L Street Slide Replat Subdivision

#### **PROJECT NUMBER: TBD**

**PROJECT COST: \$1,150,000** 

Ν

1:400.000



VICINITY MAP

#### **PROJECT DESCRIPTION:**

This project will underground overhead conductors along P Street, R Street, David Place, and W. 9th Avenue. Multiple customers have requested these lines be undergrounded. This project is in a target area described in the Title 21 Underground Ordinance because existing overhead lines are adjacent to the Delany Park Strip.


#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Year

-2028\A-11 W 9th & P St.mxd

Path

#### TITLE 21 PROJECT GIRDWOOD ENTRY SUBDIVISION

#### **PROJECT NUMBER: E1913879**

PROJECT COST: \$80,000

#### **PROJECT DESCRIPTION:**

**NOTES:** 

This project will underground approximately 1400 feet of OH three-phase conductor to mitigate aging pole foundations across wetlands in the Girdwood Entry Subdivision. This project will provide increased system capacity and reliability for residents in the area.

VICINITY MAP

1:400,000

Feet

Electric Association use only. For additional information concerning this project, please contact Brad Jackson at 762-4458.

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

Powder Run Lane Jewel Mine Ros Yonareh Mine Road Road arch Mine Road 501 Road Station R 1 200 400 800 1,000 100 600 1,200







#### TITLE 21 PROJECT SPENARD RD REHABILITATION/RELOCATION

#### **PROJECT NUMBER: E2214178**

#### **PROJECT COST: \$2,000,000**

#### **PROJECT DESCRIPTION:**

This project will underground overhead powerlines along Spenard Rd from W 30th Ave to Oregon Dr. It is planned in conjunction with an Alaska DOT project that will be for lane change conversion, pedestrian improvements, drainage reconstruction, and signals and lighting upgrades. Spenard Road is described as a Target Area outlined in the Title 21 Underground Ordinance.

#### NOTES:

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.


#### LEGEND

- Primary Overhead Conductor
- Primary Underground Conductor
- Project Area



VICINITY MAP





Coordinate System: NAD83, State Plane, Alaska Zone 4, FIPS 5004 Feet



#### TITLE 21 PROJECT GREEN VALLEY

#### **PROJECT NUMBER: TBD**

#### PROJECT COST: \$250,000

Ν



#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.25 miles of OH three-phase conductor due to age-related strength issues identified on a large number of poles within the subdivision.

#### **NOTES:**

Brad Jackson at 762-4458.

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.


For additional information concerning this project, please contact

#### LEGEND

- Primary Overhead Conductor
- H Primary Underground Conductor
- Project Area



VICINITY MAP



Frontierland Park: 10th & E Street

South Addition Community Council: South Addition Subdivision

#### **PROJECT NUMBER: TBD**

**PROJECT COST: \$350,000** 

Ν





This project will underground overhead conductors near the intersection of 10th Avenue and E Street. This project is in a Target Area described in the Title 21 Underground Ordinance because it is in the area described in the Central Business District and because of its proximity to two parks, Frontierland Park and The Park Strip.

#### NOTES:

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: Alaska State Plane Zone 4, NAD83



VICINITY MAP

1:400.000

**E 84TH AVENUE** 

Lake Otis Parkway to Elmore Road

#### **PROJECT NUMBER: TBD**

contact Brad Jackson at 762-4458.

#### **PROJECT COST: \$2,000,000**

Ν



#### **PROJECT DESCRIPTION:**

The project will underground approx. 1 mile of 4/0 ACSR 3-phase overhead on Dowling substation feeder 212. This project will improve the system capacity and contingency support for Dowling, Hane, and Sand Lake substations.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please

#### LEGEND

Primary Overhead Conductor H-Primary Underground Conductor Project Area

1:400,000

VICINITY MAP



\_ake Otis to Elmore

Logan Street: E 17th Ave to E 20th Ave

Airport Heights Community Council: City View Subdivision

#### **PROJECT NUMBER: TBD**

**PROJECT COST: \$2,150,000** 



This project will underground overhead conductors in east and west back lot lines of Logan Street from E. 17th Avenue to E. 20th Avenue. Multiple customers have requested these lines be undergrounded. The existing poles are some of the oldest in ML&P territory and there are safety and access issues that will be resolved by undergrounding this area.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND


Primary Overhead Conductor Primary Underground Conductor
Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



VICINITY MAP

1:400.000



Path

#### TITLE 21 PROJECT ROOSEVELT PARK

#### **PROJECT NUMBER: E2114040**

**PROJECT COST: \$1,800,000** 

Ν

#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.6 miles of OH single-phase and approx. 0.25 miles of OH three-phase residential conductor due to age-related strength issues identified on a large number of poles within the subdivision.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
□ Project Area





For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: NAD83, State Plane, Alaska Zone 4, FIPS 5004 Feet

#### TITLE 21 PROJECT LAKE OTIS PARKWAY

#### **PROJECT NUMBER: TBD**

**NOTES:** 

Electric Association use only.

**PROJECT COST: \$2,000,000** 

Ν



#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.75 miles of three-phase #4 & #4/0 ACSR to improve backbone feeder capacity between LASS 177 & DLSS 412.

# 1:400,000

For additional information concerning this project, please contact Brad Jackson at 762-4458.


This is for reference and review purposes only of proposed

Undergrounding Projects and is for official Chugach

#### LEGEND

- Primary Overhead Conductor Primary Underground Conductor
- Project Area
- Project Area

VICINITY MAP



Coordinate System: NAD83, State Plane, Alaska Zone 4, FIPS 5004 Feet

24th Avenue & Glacier Street

**Russian Jack Community Council** 

**PROJECT NUMBER: TBD** 

**PROJECT COST: \$2,600,000** 

Ν

1:400.000

#### **PROJECT DESCRIPTION:**

This project will remove overhead electric lines west of Boniface Parkway, south of E. 24th Avenue, north of Northern Lights Boulevard. The new underground lines will connect primary loops for increased reliability. This area has seen a very high number of outages, especially due to high winds and squirrels. Restoring outages have been difficult due to accessibility issues. This project is in the Target Area described in the Title 21 Underground Ordinance because undergrounding these overhead lines will eliminate the power outage risk associated with the high winds. The MOA Planning Department issued a "Three Second Gust Wind Zones" map. This project is inside the highest wind speed in ML&P territory, 120 MPH.


#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

#### LEGEND

Primary Overhead Conductor - Primary Underground Conductor Project Area

For additional information concerning this project, please contact Brad Jackson at 762-4458.



Coordinate System: Alaska State Plane Zone 4, NAD83



VICINITY MAP

Year

A-20 24th Ave & Glacie

.mxc

**Needle Circle** 

**Tudor Area Community Council** 

**PROJECT NUMBER: TBD** 

contact Brad Jackson at 762-4458.

PROJECT COST: \$600,000



This project will underground overhead powerlines that have a high outage rate mostly due to falling trees and branches. Access to these overhead lines is currently very difficult because of the developed backyards and lots of trees.





VICINITY MAP

1000

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please

#### LEGEND

Primary Overhead Conductor Primary Underground Conductor
Project Area

tanton Avenue East 40th Court 1732 East 41st Court eward Highway B on Iuu East 43rd Court Unnamed Road FIRE STATION #4

029

150

300

Seward Hig

PS

S



600

East Tudor Road

900

⊐Feet

#### TITLE 21 PROJECT WISCONSIN STREET Northern Lights to 44th Avenue

#### **PROJECT NUMBER: TBD**





#### **PROJECT DESCRIPTION:**

This project will retire 36 spans of overhead double-circuit primary conductor along the west side of Wisconsin Drive from Northern Lights Boulevard to W 44th Avenue. The northernmost 26 spans will be retired in addition to the poles, guy spans, and guy wires. The southernmost 10 spans are underbuilt on 138 kV structures and will only have the conductor and any additional distribution facilities removed. These overhead facilities are located on Grids 1626 and 1726 and have a total distance of 5200 feet.

Turnagain Substation is located on the east side of Wisconsin Drive on Grid 1627 and has four distribution feeders: Turnagain 112, 122, 132, and 142. All four feeders leave the substation as underground circuits and riser up to the pole structures on Wisconsin. Turnagain 112 and 122 go south as a double-circuit, and Turnagain 132 and 142 go north as a double-circuit. Double-circuit horizontal construction using one crossarm, as found on Wisconsin Street, creates working clearance problems and requires extra equipment and crew time whenever maintenance is needed.

The majority of the poles supporting the 4/0 ACSR doublecircuit overhead line do not meet the NESC grade C minimum strength requirements. Also, under an n-1 contingency, the Turnagain 132 circuit is undersized and not capable of picking up Woodland Park 242 under summer or winter peak loads without complex switching of the load. The total load provided by the Turnagain 122 tie with Spenard 212 is also approaching winter and summer capacity limits. Replacing the circuits with 750 kcmil would resolve both the NESC strength problem and contingency loading capacities.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please contact Brad Jackson at 762-4458.

#### LEGEND

Primary Overhead Conductor

H-H Primary Underground Conductor

Project Area





#### TITLE 21 PROJECT WICKERSHAM PARK

#### **PROJECT NUMBER: TBD**

**NOTES:** 

Electric Association use only.

#### PROJECT COST: \$750,000

Ν



#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.5 miles of three-phase #4 & #4/0 ACSR to improve backbone feeder capacity between LASS 177 & DLSS 412.

# VICINITY MAP


For additional information concerning this project, please contact Brad Jackson at 762-4458.

This is for reference and review purposes only of proposed

Undergrounding Projects and is for official Chugach

#### LEGEND

- Primary Overhead Conductor
- Primary Underground Conductor
- Project Area



Document Path: J:\GIS\Custom Maps\Distribution\Undergrounding Projects\Five Year Plan\2024-2028\A-23 Wickersham Park.mxd

Feet

1 inch = 400 feet

#### TITLE 21 PROJECT WESTPARK SUBDIVISION South of Dowling Road

**PROJECT NUMBER: TBD** 





#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.35 miles of 4/0 ACSR 3-phase overhead to support feeder load growth on LaTouche Substation feeder 122 and contingency support of Sand Lake Substation feeder 712.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.


For additional information concerning this project, please contact Brad Jackson at 762-4458.

#### LEGEND

Primary Overhead Conductor

H Primary Underground Conductor

Project Area



#### TITLE 21 PROJECT ELMORE & TUDOR-4/0 ACSR

#### **PROJECT NUMBER: TBD**





#### **PROJECT DESCRIPTION:**

This project will underground approx. 0.75 miles of 4/0 ACSR 3-phase overhead to support feeder load growth on Dowling Substation feeder 512 and contingency support of Boniface Substation feeder 512.

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please contact Brad Jackson at 762-4458.

#### LEGEND

Primary Overhead Conductor

H-H Primary Underground Conductor

Project Area



1 inch = 500 feet

Document Path: J:\GIS\Custom Maps\Distribution\Undergrounding Projects\Five Year Plan\2024-2028\A-25 Elmore & Tudor.mxd

Feet

7th/8th Alley: Gambell St. to Ingra St.

Downtown Community Council:Original Subdivision

**PROJECT NUMBER: E2114039** 

**PROJECT COST: \$350,000** 

Ν

#### **PROJECT DESCRIPTION:**

This project will underground overhead conductors in the 7th/8th Avenue Alley between Gambell Street and Ingra Street and underground overhead conductors along Hyder Street between 7th Avenue and 8th Avenue. This project is in a Target Area described in the Title 21 Underground Oridinance because it is in the area described in the Central Business District.



#### VICINITY MAP

1:400.000

#### **NOTES:**

This is for reference and review purposes only of proposed Undergrounding Projects and is for official Chugach Electric Association use only.

For additional information concerning this project, please

#### LEGEND

Primary Overhead Conductor
Primary Underground Conductor
Project Area

contact Brad Jackson at 762-4458. East 7th Avenue 1332 ngra Str 133 East 8th Avenue 300 150 ⊐Feet 1 inch = 100 feet

